

Cumulative Author Index of Volumes B33 and B34

- Ache, H.J., 33, 72
Adler, B., 34, 305
Agapito, J.A., 33, 128
Aigner, R., 33, 151
Aigner, R., 34, 481
Alderman, J., 34, 466
Althainz, P., 33, 72
Alvarez-Icaza, M., 34, 466
Amrani, M.E.H., 33, 137
Arés, L., 33, 128
Arrigan, D.W.M., 34, 466
Ashworth, D., 33, 203
Atanasov, P., 34, 528
Auge, J., 34, 305
Avaritsiotis, J., 33, 77
Avaritsiotis, J.N., 34, 524
- Baek, Jong-Mu, 33, 147
Baltes, H., 34, 301
Baron, M.G., 34, 511
Barry, L., 34, 466
Bartlett, N.P., 33, 60
Bauer, C.G., 33, 5
Besombes, J.L., 33, 44
Bier, F.F., 33, 5
Blyth, J., 33, 55
Bobrova, O.A., 33, 34
Bolsmann, P., 34, 328
Boltshauser, T., 34, 301
Bouazizi, A., 34, 487
Bousse, L., 34, 270
Brailsford, A.D., 34, 407
Brown, R.B., 33, 161, 168
Brunink, J.A.J., 34, 539
Bychkov, E.A., 34, 456
- Cambiaso, A., 33, 203
Cambiaso, A., 34, 245
Cammann, K., 33, 19
Cammann, K., 34, 328
Campanella, L., 33, 25
Cavicchi, R.E., 33, 142
Cavicchi, R.E., 34, 209
Cha, G.S., 33, 168
Chaabane, R.B., 34, 487
Chai, C.C., 34, 412
Chaparala, P., 33, 142
Chaparala, P., 34, 209
Chauvet, J.P., 33, 182
Chen, Y.-Q., 34, 417
Chiarugi, S., 34, 245
Chiem, N., 33, 105
Cho, B.-W., 34, 441
Choe, I., 33, 194
Choi, Man-Sik, 33, 147
- Christov, S., 33, 39
Chung, Wan-Young, 33, 147
Colapicchioni, C., 33, 25
Coles, G.S.V., 34, 323
Collins, G.E., 34, 317
Cosnier, S., 33, 44
- D'Amico, A., 33, 83
D'Amico, A., 34, 213, 539
Dalcanele, E., 34, 305
Davey, D., 34, 422
Davide, F.A.M., 33, 83
Davide, F.A.M., 34, 213, 539
Davidson, J.L., 33, 100
Delfino, L., 33, 203
Denton, D.D., 34, 343
Desmond, D., 34, 466
Di Natale, C., 33, 83
Di Natale, C., 34, 213, 539
Dietl, M., 33, 151
Dietrich, F., 34, 252
Doll, T., 34, 506
Douguchi, Y., 34, 312
Dubrovsky, T., 34, 276
Dumschat, C., 33, 19
- Egashira, M., 33, 89
Ehrentreich-Förster, E., 33, 5
Ehrmann, S., 33, 72
Eisele, I., 34, 499, 506
El'skaya, A.V., 34, 283
Endres, H.-E., 34, 339
Eremenko, A., 33, 5
- Fan, Z., 33, 105
Favero, G., 33, 25
Finger, W., 34, 265
Flannery, A.F., 34, 450
Fleischer, M., 34, 373, 378, 396
Flietner, B., 34, 499
Fluri, K., 33, 105
Föhr, K.J., 34, 265
Frank, J., 34, 367
Fukuda, T., 34, 361
Fukuyama, Y., 33, 89
Furukawa, T., 34, 229
- Gaitan, M., 33, 142
Gammoudi, M., 34, 487
Garde, A., 34, 466
Gardner, J.W., 33, 60
Geistlinger, H., 34, 499
Gerblinger, J., 34, 224
Gerlach, G., 34, 301
Getino, J., 33, 128
- Ghindilis, A.L., 34, 528
Giber, J., 34, 378
Gibson, T.D., 33, 13
Gillespie, S., 33, 13
Gizeli, E., 34, 295
Golovanov, V., 34, 401
Gooding, J.J., 34, 511
Göpel, W., 33, 188
Göpel, W., 34, 213, 265, 356, 383, 506
Goschnick, J., 33, 72
Grattarola, M., 33, 203
Grattarola, M., 34, 245
Groppelli, S., 33, 83
Guillaud, G., 34, 487
Gurbuz, Y., 33, 100
Gutiérrez, J., 33, 128
- Habara, M., 34, 312
Häberli, A., 34, 301
Haeusler, A., 34, 388
Hall, E.A.H., 34, 516
Hall, G., 34, 466
Hämmerle, H., 34, 265
Hämmerle, M., 34, 516
Harrison, D.J., 33, 105
Hartinger, R., 34, 339
Hartmann, J., 34, 305
Haskard, M.R., 34, 422
Hauptmann, P., 34, 305
Heppel, U., 34, 224
Hierlemann, A., 34, 213, 356
Hinkers, H., 33, 19
Hintsche, R., 34, 252, 476
Hoffmann, W., 34, 471
Hong, H.-K., 33, 68
Horrolo, M.C., 33, 128
Hosohara, S., 34, 361
Hower, R.W., 33, 161, 168
Hsueh, Y.-T., 33, 110
Hulbert, J.N., 33, 13
Huotari, M., 34, 240
- Iliev, I., 33, 39
Inoue, S., 34, 234
Ishida, H., 33, 115
Ishihara, K., 34, 229
Isono, K., 34, 361
Iwasaki, H., 34, 234
- Jacobs, P., 34, 258
Jaegle, M., 34, 543
Jaffrezic-Renault, N., 33, 44
Jaffrezic-Renault, N., 34, 487
Jonda, S., 34, 396
- Kagawa, Y., 33, 115
Kaisheva, A., 33, 39
Kang, W.P., 33, 100
Karyakin, A.A., 33, 34
Karyakina, E.E., 33, 34
Katerkamp, A., 34, 328
Katsube, T., 34, 446
Katterloher, R., 33, 151
Kawabata, S., 34, 334
Kazareva, R., 33, 39
Kelleter, J., 33, 134
Kempe, M., 33, 178
Kerns, D.V., 33, 100
Kim, C., 33, 96
Kim, C.-S., 34, 435, 441
Kim, S.-T., 33, 68
Kim, S.-T., 34, 490
Kimura, M., 33, 156
Kinser, D.L., 33, 100
Klee, V., 33, 151
Klein, C.F., 34, 343
Kleperis, J., 33, 173
Knoll, M., 33, 19
Koch, S., 34, 289, 429
Kohl, D., 33, 134
Komatsu, H., 34, 493
Kondo, K., 34, 312
Kounaves, S.P., 34, 450
Kovacs, G.T.A., 34, 450
Kreider, K.G., 33, 142
Kreider, K.G., 34, 209
Kriz, D., 33, 178
Kroll, A.V., 34, 462
Kudlich, E., 34, 289
Kuna, I., 34, 476
Kuroiwa, T., 34, 349
Kuwano, H., 33, 122
Kwon, C.H., 33, 68
Kwon, D.-H., 34, 441
- Labbe, P., 33, 44
Lampe, U., 33, 198
Lane, B., 34, 466
Lang, T., 34, 383
Lantto, V., 34, 401
Lavrik, N.V., 34, 283
Lechner, J., 34, 506
Lee, D.-D., 33, 147
Lee, K., 33, 68
Legin, A.V., 34, 456, 539
Leidl, A., 34, 339
Leppävuori, S., 34, 401
Liberts, G., 33, 173
Liley, M., 34, 295

- Lindner, E., **34**, 252
 Lisec, T., **34**, 476
 Logothetis, E.M., **34**, 407
 Lorenzelli, L., **34**, 245
 Lötzbeyer, T., **33**, 55
 Lowe, C.R., **33**, 55
 Lowe, C.R., **34**, 295
 Lu, G., **34**, 367
 Lucklum, R., **34**, 305
 Lui, A., **34**, 245
 Lukachova, L.V., **33**, 34
 Lusic, A., **33**, 173

 Maaref, H., **34**, 487
 Maines, A., **33**, 203
 Makower, A., **33**, 5
 Malinowska, E., **33**, 161
 Marco, S., **34**, 213
 Margesin, B., **34**, 245
 Martelet, C., **33**, 44
 Martin, J.R., **33**, 182
 Martinoia, S., **34**, 245
 Masuda, K., **34**, 229
 Matsuguchi, M., **34**, 349
 Mayes, A.G., **33**, 55
 McMurray, N., **34**, 323
 Meixner, H., **33**, 198
 Meixner, H., **34**, 224, 373, 378, 396
 Mela, M., **34**, 240
 Menzel, R., **34**, 481
 Meruva, R.K., **33**, 168
 Meyer, J.-U., **34**, 388
 Meyerhoff, M.E., **33**, 161, 168
 Michael, N., **33**, 5
 Michishita, S., **34**, 493
 Mielle, P., **34**, 533
 Millington, R.B., **33**, 55
 Mitrovics, J., **34**, 213
 Miura, N., **34**, 361, 367, 493
 Mohr, A., **34**, 265
 Moriizumi, T., **33**, 68, 115
 Morita, T., **34**, 312
 Morita, Y., **33**, 96
 Mosbach, K., **33**, 178
 Mulcahy, D., **34**, 422

 Nagakura, T., **34**, 229
 Nakagawa, M., **34**, 334
 Nakamoto, T., **33**, 115
 Nakamura, K.-i., **33**, 96

 Nakamura, M., **33**, 122
 Nakao, M., **34**, 234
 Nakazumi, H., **34**, 312
 Nanto, H., **34**, 312
 Narayanaswamy, R., **34**, 511
 Nelli, P., **33**, 83
 Nicolas, D., **33**, 182
 Nicolini, C., **34**, 276
 Niebling, G., **34**, 481
 Niggemann, M., **34**, 328
 Nisch, W., **34**, 265
 Nishiyama, K., **34**, 334
 Northrup, M.A., **33**, 110

 Okada, T., **33**, 194
 Oklejas, V., **33**, 161

 Papadopoulos, C.A., **34**, 524
 Pardo, A., **34**, 213
 Park, H.S., **33**, 68
 Park, J.-K., **34**, 490
 Payne, P.A., **33**, 137
 Peddie, F., **34**, 422
 Pellmann, M., **34**, 328
 Peng, J., **34**, 412
 Perczel, I.V., **34**, 378
 Perez, H., **33**, 182
 Persaud, K.C., **33**, 137
 Pfeiffer, D., **33**, 5
 Pierce, B.L.J., **33**, 13
 Piletsky, S.A., **34**, 283
 Poysrd, S., **33**, 44

 Rachkov, A.E., **34**, 283
 Radicchi, G., **34**, 276
 Ralston, A.R.K., **34**, 343
 Rapp, R., **34**, 471
 Reay, R.J., **34**, 450
 Reinbold, J., **34**, 328
 Réti, F., **34**, 378
 Robla, J.I., **33**, 128
 Rose-Pehrsson, S.L., **34**, 317
 Rösler, S., **34**, 305
 Roth, M., **34**, 339
 Rudnitskaya, A.M., **34**, 456, 539
 Ryan, J., **34**, 466

 Sadaoka, Y., **34**, 349
 Sager, K., **34**, 301
 Sakai, Y., **34**, 349

 Sammartino, M.P., **33**, 25
 Sansen, W., **34**, 258
 Sato, Y., **33**, 194
 Sayago, I., **33**, 128
 Sberveglieri, G., **33**, 83
 Scheller, F., **33**, 39
 Scheller, F.W., **33**, 5
 Schierbaum, K.-D., **34**, 506
 Schmeisser, D., **33**, 188
 Schmidt, H.-L., **33**, 50
 Schnakenberg, U., **34**, 252
 Schnakenberg, U., **34**, 476
 Schniffner, Lutz, **34**, 466
 Schroth, A., **34**, 301
 Schuhmann, W., **33**, 55
 Schweizer, M., **34**, 213
 Semancik, S., **34**, 209
 Sergeeva, T.A., **34**, 283
 Shimizu, Y., **33**, 89, 285
 Shin, H.W., **33**, 68
 Shin, J.H., **33**, 168
 Shinmoto, M., **34**, 349
 Smith, R.L., **33**, 110
 Smorchkov, V.I., **34**, 462
 Sohn, B.-K., **34**, 435, 441
 Solis, J.L., **34**, 401
 Son, M., **34**, 422
 Souteyrand, E., **33**, 182
 Steiner, K., **34**, 543
 Steinkuhl, R., **33**, 19
 Storment, C.W., **34**, 450
 Suehle, J.S., **33**, 142
 Suehle, J.S., **34**, 209
 Sugimoto, I., **33**, 122
 Sundermeier, C., **33**, 19
 Svanberg, S., **33**, 1
 Svehla, G., **34**, 466

 Takao, Y., **33**, 89
 Tamadoni, R., **34**, 323
 Tan, G.-L., **34**, 417
 Tang, T., **33**, 105
 Thoma, P.E., **34**, 343
 Thorpe, S.C., **34**, 511
 Tomassetti, M., **33**, 25
 Tronin, A., **34**, 276
 Tsubakino, S., **34**, 312
 Tsuda, T., **34**, 229

 Uchida, H., **34**, 446
 Uhlig, A., **34**, 252, 476

 Utsunomiya, K., **34**, 334

 Vadgama, P., **33**, 203
 Vaivars, G., **33**, 173
 Varlan, A.R., **34**, 258
 Verreschi, G., **33**, 203
 Vitins, G., **33**, 173
 Vlachos, D., **33**, 77
 Vlachos, D.S., **34**, 524
 Vlasov, Y.G., **34**, 456, 539
 Vogel, H., **34**, 295

 Wabner, D., **34**, 481
 Wada, T., **34**, 334
 Wagner, B., **34**, 476
 Waite, R.I., **34**, 312
 Wang, L.-R., **34**, 417
 Watanabe, K., **33**, 194
 Watson, J., **34**, 323
 Weimar, U., **34**, 213, 356
 Wiemhöfer, H.-D., **34**, 383
 Wilkins, E., **34**, 528
 Winter, R., **34**, 499
 Woias, P., **34**, 289
 Woias, P., **34**, 429
 Wolf, H., **34**, 429
 Wollenberger, U., **33**, 5, 39
 Wu, X.-J., **34**, 417

 Yacoub-George, E., **34**, 429
 Yamamoto, I., **34**, 334
 Yamashita, N., **34**, 334
 Yamashita, Y., **34**, 334
 Yamazo, N., **34**, 493
 Yamazoe, N., **34**, 361, 367
 Yan, B.P., **34**, 412
 Yan, Y., **34**, 367
 Yee, H.-J., **34**, 490
 Yoshinobu, T., **34**, 234
 Yun, D.H., **33**, 68
 Yussouff, M., **34**, 407

 Zanini, V., **34**, 245
 Zen, M., **34**, 245
 Zhang, W.Y., **34**, 446
 Zhou, R., **33**, 188
 Zhou, R., **34**, 356
 Zimmerer, B., **34**, 289
 Zubkans, J., **33**, 173



ELSEVIER

Sensors and Actuators B 34 (1996) 551-559

SENSORS
AND
ACTUATORS
B
CHEMICAL

Cumulative Subject Index of Volumes B33 and B34

- Acid-base complexation reaction
hydrophobic membrane sensors for the optical determination of hydrogen chloride gas, **34**, 511
- Acoustic love waveguide
detection of supported lipid layers with the acoustic Love waveguide device: application to biosensors, **34**, 295
- Ag/AgCl/Ag thin film reference electrode
novel potentiometric silicon sensor for medical devices, **34**, 476
- Alcohol sensor
a novel chemical sensor using $\text{CH}_3\text{Si}(\text{OCH}_3)_3$ sol-gel thin film coated quartz-resonator microbalance, **34**, 312
- Amperometric sensors
modelling and simulation of a diffusion limited glucose biosensor, **33**, 203
- Amplified DNA
a microfabricated, electrochemiluminescence cell for the detection of amplified DNA, **33**, 110
- Analysis
organophosphorus pesticide (Paraoxon) analysis using solid state sensors, **33**, 25
- Anemometric sensors
odor-source localization in the clean room by an autonomous mobile sensing system, **33**, 115
- Arrays
selected-area deposition of multiple active films for conductometric microsensor arrays, **34**, 209
- ASIC
an ASIC-based system for stripping voltammetric determination of trace metals, **34**, 462
- Atmospheric pressure CVD
characterization of $\alpha\text{-Fe}_2\text{O}_3$ thin films deposited by atmospheric pressure CVD onto alumina substrates, **34**, 412
- Autonomous mobile sensing system
odor-source localization in the clean room by an autonomous mobile sensing system, **33**, 115
- Back-propagation
gas identification using micro gas sensor array and neural-network pattern recognition, **33**, 68
- Biochemical analysis
micromachining chemical and biochemical analysis and reaction systems on glass substrates, **33**, 105
- Biogenic amines
blowfly olfactory biosensor's sensitivity and specificity, **34**, 240
- Biological sensor
blowfly olfactory biosensor's sensitivity and specificity, **34**, 240
- Biomimetic
introduction of molecularly imprinted polymers as recognition elements in conductometric chemical sensors, **33**, 178
- Bioreactor
a microbioreactor based on interfacial polymerisation and application to flow injection analysis of glucose, **34**, 422
- Biosensor
a hologram biosensor for proteases, **33**, 55
- a miniaturized ISFET-ELISA system with a pretreated fused silica capillary as reaction cartridge, **34**, 429
- a new method for the controlled immobilization of enzyme in inorganic gels (laponite) for amperometric glucose biosensing, **33**, 44
- detection of supported lipid layers with the acoustic Love waveguide device: application to biosensors, **34**, 295
- improvements in the stability characteristics of biosensors using protein-polyelectrolyte complexes, **33**, 13
- introduction of molecularly imprinted polymers as recognition elements in conductometric chemical sensors, **33**, 178
- modelling and simulation of a diffusion limited glucose biosensor, **33**, 203
- potentiometric biosensors based on polyaniline semiconductor films, **33**, 34
- potentiometric immunoelectrode for fast assay based on direct electron transfer catalyzed by peroxidase, **34**, 528
- the ISFET-based measurement of the streaming potential as a novel biosensor principle, **34**, 289
- ultrasensitive biosensors, **33**, 5
- whole cell biosensors, **34**, 270
- Blood sugar
auto-regulated osmotic pump for insulin therapy by sensing glucose concentration without energy supply, **34**, 229
- Blood
new design technique for planar conductometric haematocrit sensors, **34**, 258
- Breakdown voltage
hydrogen-sensitive breakdown voltage in the I - V characteristics of tin dioxide-based semiconductors, **33**, 89
- Calixarenes
a study of ion sensitivity to sodium and cobalt for calixarene based sensors, **34**, 487
- Capacitance humidity sensor
a model for the relative environmental stability of a series of polyimide capacitance humidity sensors, **34**, 343
- Capacitance measurements
a study of ion sensitivity to sodium and cobalt for calixarene based sensors, **34**, 487
- Carbon dioxide
a novel thick film conductive type CO_2 sensor, **34**, 388
- Carbon dioxide detection
mass sensitive detection of carbon dioxide by amino group-functionalized polymers, **33**, 188
- Carbon dioxide monitor
gas monitoring instrument utilising fibre optic, piezoelectric and gas-sensitive polymer techniques, **34**, 323
- Carbon dioxide sensors
carbonate based CO_2 sensors with high performance, **34**, 383
- Carbon-based electrode
sensing characteristics of hydrogen peroxide sensor using carbon-based electrode loaded with perovskite-type oxide, **34**, 493
- Carbonate
carbonate based CO_2 sensors with high performance, **34**, 383

- gas sensing interfaces of solid electrolyte based carbon dioxide sensors attached with metal carbonate, **34**, 361
- Cardiac cells
 - performance of a thin film microelectrode array for monitoring electrogenic cells in vitro, **34**, 265
- Catalytic gate
 - gas-Sensitive GaAs-MESFETs, **34**, 543
- Catecholamines
 - ultrasensitive biosensors, **33**, 5
- Cell culture
 - performance of a thin film microelectrode array for monitoring electrogenic cells in vitro, **34**, 265
- Chalcogenide glass sensor array
 - multicomponent analysis of heavy metal cations and inorganic anions in liquids by a non-selective chalcogenide glass sensor array, **34**, 539
- Chalcogenide glass sensors
 - cross-sensitivity of chalcogenide glass sensors in solutions of heavy metal ions, **34**, 456
- Charge transfer
 - dipole- and charge transfer contributions to the work function change of semiconducting thin films: experiment and theory, **34**, 499
- Chemical analysis
 - micromachining chemical and biochemical analysis and reaction systems on glass substrates, **33**, 105
- Chemical gas sensor
 - hydrophobic membrane sensors for the optical determination of hydrogen chloride gas, **34**, 511
- Chemical image sensor
 - high speed chemical image sensor with digital LAPS system, **34**, 446
- Chemical imaging sensor
 - high-resolution pH imaging sensor for microscopic observation of microorganisms, **34**, 234
- Chemical sensor
 - application of plasma-polymer-film-coated sensors to gas identification using linear filters, **33**, 122
 - chemical sensing with laser spectroscopy, **33**, 1
 - new solvent system for the improved electrochemical performance of screen-printed polyurethane membrane-based solid-state sensors, **33**, 168
 - organic vapor sensitivity in a porous silicon device, **33**, 194
- Chemical vapor deposition
 - selected-area deposition of multiple active films for conductometric microsensor arrays, **34**, 209
- Chemiluminescence
 - analytical detection system of mixed odor vapors using chemiluminescence-based gas sensor, **34**, 334
 - chemiluminescent chemical sensors for inorganic and organic vapors, **34**, 317
- Chlorinated hydrocarbons
 - chemiluminescent chemical sensors for inorganic and organic vapors, **34**, 317
- Clark type sensor
 - a new pH-ISFET based dissolved oxygen sensor by employing electrolysis of oxygen, **34**, 435
- CO₂
 - gas sensing interfaces of solid electrolyte based carbon dioxide sensors attached with metal carbonate, **34**, 361
 - multisensor system for partial pressure ratios of gas species, **33**, 134
- Combustion
 - integrated sensor array for gas analysis in combustion atmospheres, **33**, 128
- Complexes
 - improvements in the stability characteristics of biosensors using protein-polyelectrolyte complexes, **33**, 13
- Computer simulations
 - modelling and simulation of a diffusion limited glucose biosensor, **33**, 203
- Conductance
 - selected-area deposition of multiple active films for conductometric microsensor arrays, **34**, 209
- Conducting polymers
 - multi-frequency measurements of organic conducting polymers for sensing of gases and vapours, **33**, 137
- Conductive type sensor
 - a novel thick film conductive type CO₂ sensor, **34**, 388
- Conductometry
 - introduction of molecularly imprinted polymers as recognition elements in conductometric chemical sensors, **33**, 178
 - new design technique for planar conductometric haematocrit sensors, **34**, 258
- Continuous-flow system
 - microdialysis system for continuous glucose monitoring, **33**, 19
- Cross sensitivity
 - metal oxide sensors, **33**, 198
- Cross-linked PVCA film
 - effect of the degree of cross-linking on the characteristics of a PVCA capacitive-type humidity sensor, **34**, 349
- Cross-sensitivity
 - cross-sensitivity of chalcogenide glass sensors in solutions of heavy metal ions, **34**, 456
- Current response
 - organic vapor sensitivity in a porous silicon device, **33**, 194
- Curve analysis
 - data reduction for curve analysis, **34**, 481
- Cycling electrodes
 - ultrasensitive biosensors, **33**, 5
- Diabetes mellitus
 - auto-regulated osmotic pump for insulin therapy by sensing glucose concentration without energy supply, **34**, 229
- Diamond
 - diamond microelectronic gas sensors, **33**, 100
- Differential measurement
 - new design technique for planar conductometric haematocrit sensors, **34**, 258
- Diffusion-reaction systems
 - modelling and simulation of a diffusion limited glucose biosensor, **33**, 203
- Digital LAPS
 - high speed chemical image sensor with digital LAPS system, **34**, 446
- Dipole
 - dipole- and charge transfer contributions to the work function change of semiconducting thin films: experiment and theory, **34**, 499
- Direct electron transfer
 - electron transfer principles in amperometric biosensors: direct electron transfer between enzymes and electrode surface, **33**, 50
 - potentiometric immunoelectrode for fast assay based on direct electron transfer catalyzed by peroxidase, **34**, 528
- Dissolved oxygen sensor
 - a new pH-ISFET based dissolved oxygen sensor by employing electrolysis of oxygen, **34**, 435
- Doping
 - electrical doping of gas-sensitive, semiconducting Ga₂O₃ thin films, **34**, 373
- Drift
 - managing dynamic thermal exchanges in commercial semiconducting gas sensors, **34**, 533
- Effects of additives
 - a novel thick film conductive type CO₂ sensor, **34**, 388

- Electroactive label
 - polyaniline label-based conductometric sensor for IgG detection, **34**, 283
- Electrochemical galvanic sensor
 - electrochemical solid-state micro-sensor for hydrogen determination, **34**, 462
- Electrochemical immunoassay
 - polyaniline label-based conductometric sensor for IgG detection, **34**, 283
- Electrochemiluminescence cell
 - a microfabricated, electrochemiluminescence cell for the detection of amplified DNA, **33**, 110
- Electronic nose
 - an electronic nose for the recognition of the vineyard of a red wine, **33**, 83
 - managing dynamic thermal exchanges in commercial semiconducting gas sensors, **34**, 533
 - performance definition and standardization of electronic noses, **33**, 60
- Ellipsometry
 - optimisation of IgG Langmuir film deposition for application as sensing elements, **34**, 276
- Environmental monitoring
 - an H⁺-FET-based system for on-line detection of microorganisms in waters, **34**, 245
- Environmental stability
 - a model for the relative environmental stability of a series of polyimide capacitance humidity sensors, **34**, 343
- Enzymatic amplifiers
 - ultrasensitive biosensors, **33**, 5
- Enzyme
 - a hologram biosensor for proteases, **33**, 55
 - improvements in the stability characteristics of biosensors using protein-polyelectrolyte complexes, **33**, 13
- Enzyme electrodes
 - an enzyme electrode with response independent of the thickness of the enzyme layer, **34**, 516
- Enzyme/gas-diffusion electrode
 - enzyme/gas-diffusion electrodes for determination of phenol, **33**, 39
- EOS
 - a study of ion sensitivity to sodium and cobalt for calixarene based sensors, **34**, 487
- Extracellular recording
 - blowfly olfactory biosensor's sensitivity and specificity, **34**, 240
 - performance of a thin film microelectrode array for monitoring electrogenic cells in vitro, **34**, 265
- Fast programming
 - managing dynamic thermal exchanges in commercial semiconducting gas sensors, **34**, 533
- α -Fe₂O₃ thin films
 - characterization of α -Fe₂O₃ thin films deposited by atmospheric pressure CVD onto alumina substrates, **34**, 412
- Feature extraction
 - application of plasma-polymer-film-coated sensors to gas identification using linear filters, **33**, 122
- Fibre-optic
 - gas monitoring instrument utilising fibre optic, piezoelectric and gas-sensitive polymer techniques, **34**, 323
 - remote sensing of tetrachloroethene with a micro-fibre optical gas sensor based on surface plasmon resonance spectroscopy, **34**, 328
- Finite element method
 - a resonant polyimide-based humidity sensor, **34**, 301
 - low-power micro gas sensor, **33**, 147
- Flow injection analysis
 - a miniaturized ISFET-ELISA system with a pretreated fused silica capillary as reaction cartridge, **34**, 429
- Flow-through microchamber
 - an H⁺-FET-based system for on-line detection of microorganisms in waters, **34**, 245
- Formaldehyde
 - an enzyme electrode with response independent of the thickness of the enzyme layer, **34**, 516
- Formaldehyde dehydrogenase
 - an enzyme electrode with response independent of the thickness of the enzyme layer, **34**, 516
- Fused silica capillary
 - a miniaturized ISFET-ELISA system with a pretreated fused silica capillary as reaction cartridge, **34**, 429
 - the ISFET-based measurement of the streaming potential as a novel biosensor principle, **34**, 289
- Fuzzy logic
 - temperature control of semiconductor metal-oxide gas sensors by means of fuzzy logic, **34**, 396
- Fuzzy neural network
 - fuzzy neural networks for gas sensing, **33**, 77
- β -Ga₂O₃ thin films
 - detection of reducing gases in air by β -Ga₂O₃ thin films using self-heated and externally (oven-) heated operation modes, **34**, 378
- GaAs-MESFETs
 - gas-sensitive GaAs-MESFETs, **34**, 543
- Gallium oxide
 - electrical doping of gas-sensitive, semiconducting Ga₂O₃ thin films, **34**, 373
- Gas analysis
 - integrated sensor array for gas analysis in combustion atmospheres, **33**, 128
- Gas identification
 - application of plasma-polymer-film-coated sensors to gas identification using linear filters, **33**, 122
 - gas identification using micro gas sensor array and neural-network pattern recognition, **33**, 68
- Gas sensing
 - a new planar device based on Seebeck effect for gas sensing applications, **34**, 524
- Gas sensitivity
 - accurate sensors offering unrestricted recalibration and long-term stability for determining high temperatures on the basis of gas-sensitive effects of different gases on metal oxides, **34**, 224
 - influence of thin film coatings on the gas sensitivity properties of narrow laser cut gap in In₂O₃ on glass substrate, **33**, 173
- Gas sensor
 - analytical detection system of mixed odor vapors using chemiluminescence-based gas sensor, **34**, 334
 - behaviour of cryptophane molecules in gas media, **33**, 182
 - different thick-film methods in printing of one-electrode semiconductor gas sensors, **34**, 401
 - electrical doping of gas-sensitive, semiconducting Ga₂O₃ thin films, **34**, 373
 - fuzzy neural networks for gas sensing, **33**, 77
 - gas sensing interfaces of solid electrolyte based carbon dioxide sensors attached with metal carbonate, **34**, 361
 - gas-sensitive GaAs-MESFETs, **34**, 543
 - gravimetric, dielectric and calorimetric methods for the detection of organic solvent vapours using poly(ether urethane) coatings, **34**, 356
 - low-power micro gas sensor, **33**, 147
 - managing dynamic thermal exchanges in commercial semiconducting gas sensors, **34**, 533
 - metal oxide sensors, **33**, 198
 - multi-frequency measurements of organic conducting polymers for sensing of gases and vapours, **33**, 137
 - multisensor microsystem for contaminants in air, **33**, 72

- odor-source localization in the clean room by an autonomous mobile sensing system, **33**, 115
- optimized temperature-pulse sequences for the enhancement of chemically specific response patterns from micro-hotplate gas sensors, **33**, 142
- remote sensing of tetrachloroethene with a micro-fibre optical gas sensor based on surface plasmon resonance spectroscopy, **34**, 328
- sensing characteristics and mechanism of hydrogen sulfide sensor using stabilized zirconia and oxide sensing electrode, **34**, 367
- temperature control of semiconductor metal-oxide gas sensors by means of fuzzy logic, **34**, 396
- theory of gas sensors: response of an electrochemical sensor to multi-component gas mixtures, **34**, 407
- Gas sensor array
 - gas identification using micro gas sensor array and neural-network pattern recognition, **33**, 68
- Gas-sensing properties
 - characterization of α -Fe₂O₃ thin films deposited by atmospheric pressure CVD onto alumina substrates, **34**, 412
- Gas-sensitive polymer
 - gas monitoring instrument utilising fibre optic, piezoelectric and gas-sensitive polymer techniques, **34**, 323
- Glass substrate
 - influence of thin film coatings on the gas sensitivity properties of narrow laser cut gap in In₂O₃ on glass substrate, **33**, 173
 - micromachining chemical and biochemical analysis and reaction systems on glass substrates, **33**, 105
- Glucose
 - modelling and simulation of a diffusion limited glucose biosensor, **33**, 203
 - potentiometric biosensors based on polyaniline semiconductor films, **33**, 34
- Glucose monitoring
 - microdialysis system for continuous glucose monitoring, **33**, 19
- Glucose oxidase
 - a new method for the controlled immobilization of enzyme in inorganic gels (laponite) for amperometric glucose biosensing, **33**, 44
 - potentiometric biosensors based on polyaniline semiconductor films, **33**, 34
- Glucose sensor
 - a microbioreactor based on interfacial polymerisation and application to flow injection analysis of glucose, **34**, 422
- Gold electrode
 - electron transfer principles in amperometric biosensors: direct electron transfer between enzymes and electrode surface, **33**, 50
- H₂
 - multisensor system for partial pressure ratios of gas species, **33**, 134
- H₂ sensor
 - hydrogen-sensitive breakdown voltage in the *I-V* characteristics of tin dioxide-based semiconductors, **33**, 89
- H₂O₂ sensor
 - sensing characteristics of hydrogen peroxide sensor using carbon-based electrode loaded with perovskite-type oxide, **34**, 493
- H₂S
 - sensing characteristics and mechanism of hydrogen sulfide sensor using stabilized zirconia and oxide sensing electrode, **34**, 367
- Haematocrit
 - new design technique for planar conductometric haematocrit sensors, **34**, 258
- Heavy metal cations
 - multicomponent analysis of heavy metal cations and inorganic anions in liquids by a non-selective chalcogenide glass sensor array, **34**, 539
- Heavy metal ions
 - cross-sensitivity of chalcogenide glass sensors in solutions of heavy metal ions, **34**, 456
- Heavy metal
 - an ASIC-based system for stripping voltammetric determination of trace metals, **34**, 462
 - microfabricated electrochemical analysis system for heavy metal detection, **34**, 450
- High sensitivity
 - a new method for the controlled immobilization of enzyme in inorganic gels (laponite) for amperometric glucose biosensing, **33**, 44
- High temperature
 - accurate sensors offering unrestricted recalibration and long-term stability for determining high temperatures on the basis of gas-sensitive effects of different gases on metal oxides, **34**, 224
 - electrical doping of gas-sensitive, semiconducting Ga₂O₃ thin films, **34**, 373
 - temperature control of semiconductor metal-oxide gas sensors by means of fuzzy logic, **34**, 396
- Hologram
 - a hologram biosensor for proteases, **33**, 55
- Humidity sensor
 - a new method to measure the absolute humidity independently of the ambient temperature, **33**, 156
 - effect of the degree of cross-linking on the characteristics of a PVCA capacitive-type humidity sensor, **34**, 349
- Hydrazine
 - chemiluminescent chemical sensors for inorganic and organic vapors, **34**, 317
- Hydrogen chloride
 - hydrophobic membrane sensors for the optical determination of hydrogen chloride gas, **34**, 511
- Hydrogen
 - electrochemical solid-state micro-sensor for hydrogen determination, **34**, 462
- Hydrogen gas
 - Langmuir analysis on hydrogen gas response of palladium-gate FET, **33**, 96
- I-V* characteristics
 - hydrogen-sensitive breakdown voltage in the *I-V* characteristics of tin dioxide-based semiconductors, **33**, 89
- Immobilisation layer
 - an enzyme electrode with response independent of the thickness of the enzyme layer, **34**, 516
- Immunoassay
 - a miniaturized ISFET-ELISA system with a pretreated fused silica capillary as reaction cartridge, **34**, 429
 - ultrasensitive biosensors, **33**, 5
- Immunoelectrode
 - potentiometric immunoelectrode for fast assay based on direct electron transfer catalyzed by peroxidase, **34**, 528
- Immunoglobulin G
 - optimisation of IgG Langmuir film deposition for application as sensing elements, **34**, 276
- Immunology
 - optimisation of IgG Langmuir film deposition for application as sensing elements, **34**, 276
- Immunosensor
 - polyaniline label-based conductometric sensor for IgG detection, **34**, 283
 - potentiometric immunoelectrode for fast assay based on direct electron transfer catalyzed by peroxidase, **34**, 528
- In₂O₃
 - influence of thin film coatings on the gas sensitivity properties of narrow laser cut gap in In₂O₃ on glass substrate, **33**, 173

- Inhibition biosensor**
organophosphorus pesticide (Paraoxon) analysis using solid state sensors, **33**, 25
- Inorganic gels**
a new method for the controlled immobilization of enzyme in inorganic gels (laponite) for amperometric glucose biosensing, **33**, 44
- Inorganic ions**
multicomponent analysis of heavy metal cations and inorganic anions in liquids by a non-selective chalcogenide glass sensor array, **34**, 539
- Insulin pump**
auto-regulated osmotic pump for insulin therapy by sensing glucose concentration without energy supply, **34**, 229
- Integrated electronics**
an H^+ -FET-based system for on-line detection of microorganisms in waters, **34**, 245
- Interfacial polymerisation**
a microbio-reactor based on interfacial polymerisation and application to flow injection analysis of glucose, **34**, 422
- Intermetallic complex**
an ASIC-based system for stripping voltammetric determination of trace metals, **34**, 462
- Ion analysis**
integrated microanalytical system with electrochemical detection, **34**, 471
- Ion-selective electrode**
miniaturised ion-selective sensor chip for potassium measurement in a biomedical application, **34**, 252
- Ion-selective membranes**
enhanced electrochemical performance of solid-state ion sensors based on silicone rubber membranes, **33**, 161
- Ionic additives**
enhanced electrochemical performance of solid-state ion sensors based on silicone rubber membranes, **33**, 161
- ISFET**
a miniaturized ISFET-ELISA system with a pretreated fused silica capillary as reaction cartridge, **34**, 429
a study of ion sensitivity to sodium and cobalt for calixarene based sensors, **34**, 487
integrated microanalytical system with electrochemical detection, **34**, 471
organophosphorus pesticide (Paraoxon) analysis using solid state sensors, **33**, 25
the ISFET-based measurement of the streaming potential as a novel biosensor principle, **34**, 289
- ISFET sensors**
an H^+ -FET-based system for on-line detection of microorganisms in waters, **34**, 245
- LaF₃**
investigation for oxygen sensor of LaF₃ thin film, **34**, 417
- Langmuir analysis**
Langmuir analysis on hydrogen gas response of palladium-gate FET, **33**, 96
- Langmuir film**
optimisation of IgG Langmuir film deposition for application as sensing elements, **34**, 276
- Laponite**
a new method for the controlled immobilization of enzyme in inorganic gels (laponite) for amperometric glucose biosensing, **33**, 44
- Laser**
influence of thin film coatings on the gas sensitivity properties of narrow laser cut gap in In₂O₃ on glass substrate, **33**, 173
- Laser spectroscopy**
chemical sensing with laser spectroscopy, **33**, 1
- Light-addressable potentiometric sensor**
high-resolution pH imaging sensor for microscopic observation of microorganisms, **34**, 234
- Limiting current-type**
sensing characteristics of hydrogen peroxide sensor using carbon-based electrode loaded with perovskite-type oxide, **34**, 493
- Linear filters**
application of plasma-polymer-film-coated sensors to gas identification using linear filters, **33**, 122
- Long term stability**
a new method for the controlled immobilization of enzyme in inorganic gels (laponite) for amperometric glucose biosensing, **33**, 44
metal oxide sensors, **33**, 198
- Luminol**
chemiluminescent chemical sensors for inorganic and organic vapors, **34**, 317
- Mass-production technology**
microdialysis system for continuous glucose monitoring, **33**, 19
- Mechanochemical actuator**
auto-regulated osmotic pump for insulin therapy by sensing glucose concentration without energy supply, **34**, 229
- Membrane**
multisensor microsystem for contaminants in air, **33**, 72
new solvent system for the improved electrochemical performance of screen-printed polyurethane membrane-based solid-state sensors, **33**, 168
- Mercury film electrodes**
an ASIC-based system for stripping voltammetric determination of trace metals, **34**, 462
- Metal free porphyrin**
hydrophobic membrane sensors for the optical determination of hydrogen chloride gas, **34**, 511
- Metal oxide**
a novel thick film conductive type CO₂ sensor, **34**, 388
accurate sensors offering unrestricted recalibration and long-term stability for determining high temperatures on the basis of gas-sensitive effects of different gases on metal oxides, **34**, 224
electrical doping of gas-sensitive, semiconducting Ga₂O₃ thin films, **34**, 373
metal oxide sensors, **33**, 198
multisensor microsystem for contaminants in air, **33**, 72
temperature control of semiconductor metal-oxide gas sensors by means of fuzzy logic, **34**, 396
- Micro-heater**
a new method to measure the absolute humidity independently of the ambient temperature, **33**, 156
- Micro-hotplates**
optimized temperature-pulse sequences for the enhancement of chemically specific response patterns from micro-hotplate gas sensors, **33**, 142
- Microdialysis sampling:**
microdialysis system for continuous glucose monitoring, **33**, 19
- Microelectrode**
microfabricated electrochemical analysis system for heavy metal detection, **34**, 450
- Microelectrode array**
performance of a thin film microelectrode array for monitoring electrogenic cells in vitro, **34**, 265
- Microelectronic gas sensor**
diamond microelectronic gas sensors, **33**, 100
- Microflow cell**
integrated microanalytical system with electrochemical detection, **34**, 471
- Microheaters**
low-power micro gas sensor, **33**, 147

- Micromachining**
a microbioreactor based on interfacial polymerisation and application to flow injection analysis of glucose, **34**, 422
a new method to measure the absolute humidity independently of the ambient temperature, **33**, 156
micromachining chemical and biochemical analysis and reaction systems on glass substrates, **33**, 105
miniaturised ion-selective sensor chip for potassium measurement in a biomedical application, **34**, 252
optimized temperature-pulse sequences for the enhancement of chemically specific response patterns from micro-hotplate gas sensors, **33**, 142
selected-area deposition of multiple active films for conductometric microsensor arrays, **34**, 209
- Microorganism detection**
an H^+ -FET-based system for on-line detection of microorganisms in waters, **34**, 245
- Microperoxidase**
electron transfer principles in amperometric biosensors: direct electron transfer between enzymes and electrode surface, **33**, 50
- Micropumps**
integrated microanalytical system with electrochemical detection, **34**, 471
- Microsensors**
selected-area deposition of multiple active films for conductometric microsensor arrays, **34**, 209
- Microsystem**
integrated microanalytical system with electrochemical detection, **34**, 471
multisensor microsystem for contaminants in air, **33**, 72
- Miniaturisation**
a microbioreactor based on interfacial polymerisation and application to flow injection analysis of glucose, **34**, 422
microdialysis system for continuous glucose monitoring, **33**, 19
- Mixed odor vapors**
analytical detection system of mixed odor vapors using chemiluminescence-based gas sensor, **34**, 334
- Mixed potential**
sensing characteristics and mechanism of hydrogen sulfide sensor using stabilized zirconia and oxide sensing electrode, **34**, 367
- Modelling**
an enzyme electrode with response independent of the thickness of the enzyme layer, **34**, 516
different strategies for the identification of gas sensing systems, **34**, 213
- Modulation**
Si-planar-pellistor: designs for temperature modulated operation, **33**, 151
- Molecular imprinting**
introduction of molecularly imprinted polymers as recognition elements in conductometric chemical sensors, **33**, 178
- Molecular orientation**
optimisation of IgG Langmuir film deposition for application as sensing elements, **34**, 276
- Molecular receptor**
behaviour of cryptophane molecules in gas media, **33**, 182
- Molecular sieve effect**
effect of the degree of cross-linking on the characteristics of a PVCA capacitive-type humidity sensor, **34**, 349
- Monitoring of film organization and material properties**
supramolecular interactions on mass sensitive sensors in gas phases and liquids, **34**, 305
- Multi-component analysis**
different strategies for the identification of gas sensing systems, **34**, 213
- Multi-component gas mixture**
theory of gas sensors: response of an electrochemical sensor to multi-component gas mixtures, **34**, 407
- Multi-frequency ac measurements**
multi-frequency measurements of organic conducting polymers for sensing of gases and vapours, **33**, 137
- Multiple working electrodes**
disposable thick-film amperometric biosensor with multiple working electrodes fabricated on a single substrate, **34**, 490
- Multisensor array for liquids**
cross-sensitivity of chalcogenide glass sensors in solutions of heavy metal ions, **34**, 456
- Multisensor system**
multisensor system for partial pressure ratios of gas species, **33**, 134
- NASICON**
gas sensing interfaces of solid electrolyte based carbon dioxide sensors attached with metal carbonate, **34**, 361
- Neural network**
a novel chemical sensor using $CH_3Si(OCH_3)_3$ sol-gel thin film coated quartz-resonator microbalance, **34**, 312
- Non-linear gas sensors**
different strategies for the identification of gas sensing systems, **34**, 213
- Odor plume**
odor-source localization in the clean room by an autonomous mobile sensing system, **33**, 115
- Odor-source localization**
odor-source localization in the clean room by an autonomous mobile sensing system, **33**, 115
- Odour stimulation**
blowfly olfactory biosensor's sensitivity and specificity, **34**, 240
- Odours**
performance definition and standardization of electronic noses, **33**, 60
- Olfactory biosensor**
blowfly olfactory biosensor's sensitivity and specificity, **34**, 240
- Optical**
a hologram biosensor for proteases, **33**, 55
- Organic gases**
multisensor microsystem for contaminants in air, **33**, 72
- Organic solvent vapours**
remote sensing of tetrachloroethene with a micro-fibre optical gas sensor based on surface plasmon resonance spectroscopy, **34**, 328
- Organic vapor sensing**
organic vapor sensitivity in a porous silicon device, **33**, 194
- Organic volatiles**
gravimetric, dielectric and calorimetric methods for the detection of organic solvent vapours using poly(ether urethane) coatings, **34**, 356
- Organophosphorus**
potentiometric biosensors based on polyaniline semiconductor films, **33**, 34
- Osmotic pump**
auto-regulated osmotic pump for insulin therapy by sensing glucose concentration without energy supply, **34**, 229
- Oxygen electrolysis**
a new pH-ISFET based dissolved oxygen sensor by employing electrolysis of oxygen, **34**, 435
- Oxygen sensor**
investigation for oxygen sensor of LaF_3 thin film, **34**, 417
- Ozone detection**
ozone detection in the ppb range with work function sensors operating at room temperature, **34**, 506

- Pad printing
different thick-film methods in printing of one-electrode semiconductor gas sensors, **34**, 401
- Palladium-gate field effect transistor
Langmuir analysis on hydrogen gas response of palladium-gate FET, **33**, 96
- Pancreas
a hologram biosensor for proteases, **33**, 55
- Parallel integration
high speed chemical image sensor with digital LAPS system, **34**, 446
- Parallel lock-in amplifier
high speed chemical image sensor with digital LAPS system, **34**, 446
- Paraoxon
organophosphorus pesticide (Paraoxon) analysis using solid state sensors, **33**, 25
- Pattern recognition
a novel chemical sensor using $\text{CH}_3\text{Si}(\text{OCH}_3)_3$ sol-gel thin film coated quartz-resonator microbalance, **34**, 312
data reduction for curve analysis, **34**, 481
gas identification using micro gas sensor array and neural-network pattern recognition, **33**, 68
multisensor microsystem for contaminants in air, **33**, 72
- Perovskite-type oxide
sensing characteristics of hydrogen peroxide sensor using carbon-based electrode loaded with perovskite-type oxide, **34**, 493
- Peroxidase-label
potentiometric immunoelectrode for fast assay based on direct electron transfer catalyzed by peroxidase, **34**, 528
- Pesticides
potentiometric biosensors based on polyaniline semiconductor films, **33**, 34
- pH imaging sensor
high-resolution pH imaging sensor for microscopic observation of microorganisms, **34**, 234
- pH-ISFET
a new pH-ISFET based dissolved oxygen sensor by employing electrolysis of oxygen, **34**, 435
effects of heat treatment on Ta_2O_5 sensing membrane for low drift and high sensitivity pH-ISFET, **34**, 441
- Phenol
enzyme/gas-diffusion electrodes for determination of phenol, **33**, 39
- Piezoelectric bimorph
gas monitoring instrument utilising fibre optic, piezoelectric and gas-sensitive polymer techniques, **34**, 323
- Planar structure
a new planar device based on Seebeck effect for gas sensing applications, **34**, 524
new design technique for planar conductometric haematocrit sensors, **34**, 258
- Planar technology
electrochemical solid-state micro-sensor for hydrogen determination, **34**, 462
- Plasma enhanced chemical vapor deposition
diamond microelectronic gas sensors, **33**, 100
- Plasma-polymer films
application of plasma-polymer-film-coated sensors to gas identification using linear filters, **33**, 122
- Poly(ether urethane)
gravimetric, dielectric and calorimetric methods for the detection of organic solvent vapours using poly(ether urethane) coatings, **34**, 356
- Polyaniline
polyaniline label-based conductometric sensor for IgG detection, **34**, 283
- potentiometric biosensors based on polyaniline semiconductor films, **33**, 34
- Polyelectrolyte
improvements in the stability characteristics of biosensors using protein-polyelectrolyte complexes, **33**, 13
- Polyimide
a model for the relative environmental stability of a series of polyimide capacitance humidity sensors, **34**, 343
a resonant polyimide-based humidity sensor, **34**, 301
- Polymers
mass sensitive detection of carbon dioxide by amino group-functionalized polymers, **33**, 188
- Polyurethane
new solvent system for the improved electrochemical performance of screen-printed polyurethane membrane-based solid-state sensors, **33**, 168
- Porous silicon device
organic vapor sensitivity in a porous silicon device, **33**, 194
- Potassium
miniaturised ion-selective sensor chip for potassium measurement in a biomedical application, **34**, 252
- Potassium iodide
ozone detection in the ppb range with work function sensors operating at room temperature, **34**, 506
- Potentiometric immunoassay
potentiometric immunoelectrode for fast assay based on direct electron transfer catalyzed by peroxidase, **34**, 528
- Potentiometric sensor
novel potentiometric silicon sensor for medical devices, **34**, 476
- Potentiometric-type
sensing characteristics of hydrogen peroxide sensor using carbon-based electrode loaded with perovskite-type oxide, **34**, 493
- Potentiometry
potentiometric biosensors based on polyaniline semiconductor films, **33**, 34
- Potentiostat
microfabricated electrochemical analysis system for heavy metal detection, **34**, 450
- Power consumption
gas identification using micro gas sensor array and neural-network pattern recognition, **33**, 68
- Principal component
a novel chemical sensor using $\text{CH}_3\text{Si}(\text{OCH}_3)_3$ sol-gel thin film coated quartz-resonator microbalance, **34**, 312
- Protease
a hologram biosensor for proteases, **33**, 55
- Protein
improvements in the stability characteristics of biosensors using protein-polyelectrolyte complexes, **33**, 13
- Quartz crystal microbalance
supramolecular interactions on mass sensitive sensors in gas phases and liquids, **34**, 305
- Quartz microbalance
gravimetric, dielectric and calorimetric methods for the detection of organic solvent vapours using poly(ether urethane) coatings, **34**, 356
mass sensitive detection of carbon dioxide by amino group-functionalized polymers, **33**, 188
- Quartz-resonator
a novel chemical sensor using $\text{CH}_3\text{Si}(\text{OCH}_3)_3$ sol-gel thin film coated quartz-resonator microbalance, **34**, 312
- Recalibration
accurate sensors offering unrestricted recalibration and long-term stability for determining high temperatures on the basis of

- gas-sensitive effects of different gases on metal oxides, **34**, 224
- Red wine
 - an electronic nose for the recognition of the vineyard of a red wine, **33**, 83
- Reducing gases
 - detection of reducing gases in air by β -Ga₂O₃ thin films using self-heated and externally (oven-) heated operation modes, **34**, 378
- Regeneratable electrode materials
 - electrochemical solid-state micro-sensor for hydrogen determination, **34**, 462
- Remote sensing
 - remote sensing of tetrachloroethene with a micro-fibre optical gas sensor based on surface plasmon resonance spectroscopy, **34**, 328
- Reproducibility
 - disposable thick-film amperometric biosensor with multiple working electrodes fabricated on a single substrate, **34**, 490
- Resonant
 - a resonant polyimide-based humidity sensor, **34**, 301
- RF reactive sputtering
 - effects of heat treatment on Ta₂O₅ sensing membrane for low drift and high sensitivity pH-ISFET, **34**, 441
- RF sputtering
 - investigation for oxygen sensor of LaF₃ thin film, **34**, 417
- Screen-printing
 - an ASIC-based system for stripping voltammetric determination of trace metals, **34**, 462
 - new solvent system for the improved electrochemical performance of screen-printed polyurethane membrane-based solid-state sensors, **33**, 168
- Seebeck effect
 - a new planar device based on Seebeck effect for gas sensing applications, **34**, 524
- Selective gas- and liquid sensors
 - supramolecular interactions on mass sensitive sensors in gas phases and liquids, **34**, 305
- Selectivity
 - carbonate based CO₂ sensors with high performance, **34**, 383
 - enhanced electrochemical performance of solid-state ion sensors based on silicone rubber membranes, **33**, 161
- Self-assembly technique
 - detection of supported lipid layers with the acoustic Love waveguide device: application to biosensors, **34**, 295
- Semiconducting thin films
 - dipole- and charge transfer contributions to the work function change of semiconducting thin films: experiment and theory, **34**, 499
- Semiconductor-based sensor
 - integrated sensor array for gas analysis in combustion atmospheres, **33**, 128
- Semipermeable membrane
 - auto-regulated osmotic pump for insulin therapy by sensing glucose concentration without energy supply, **34**, 229
- Sensing mechanism
 - gas sensing interfaces of solid electrolyte based carbon dioxide sensors attached with metal carbonate, **34**, 361
- Sensitivity
 - carbonate based CO₂ sensors with high performance, **34**, 383
 - metal oxide sensors, **33**, 198
- Sensor
 - a resonant polyimide-based humidity sensor, **34**, 301
- Sensor arrays
 - performance definition and standardization of electronic noses, **33**, 60
- Sensor dynamics
 - application of plasma-polymer-film-coated sensors to gas identification using linear filters, **33**, 122
- Sensor modelling
 - modelling and simulation of a diffusion limited glucose biosensor, **33**, 203
- Sensor technology
 - introduction of molecularly imprinted polymers as recognition elements in conductometric chemical sensors, **33**, 178
- Shear surface acoustic wave
 - detection of supported lipid layers with the acoustic Love waveguide device: application to biosensors, **34**, 295
- Si-planar-pellistor
 - data reduction for curve analysis, **34**, 481
 - Si-planar-pellistor: designs for temperature modulated operation, **33**, 151
- Signal processing
 - data reduction for curve analysis, **34**, 481
- Silanization
 - the ISFET-based measurement of the streaming potential as a novel biosensor principle, **34**, 289
- Silicon micromachining
 - novel potentiometric silicon sensor for medical devices, **34**, 476
- Silicone rubber
 - enhanced electrochemical performance of solid-state ion sensors based on silicone rubber membranes, **33**, 161
- Simulation
 - a resonant polyimide-based humidity sensor, **34**, 301
- Smouldering fires
 - multisensor system for partial pressure ratios of gas species, **33**, 134
- SO₂ sensor system
 - a new SO₂ sensor system with SAW and IDC elements, **34**, 339
- Sol-gel-film
 - a novel chemical sensor using CH₃Si(OCH₃)₃ sol-gel thin film coated quartz-resonator microbalance, **34**, 312
- Solid electrolyte
 - gas sensing interfaces of solid electrolyte based carbon dioxide sensors attached with metal carbonate, **34**, 361
 - sensing characteristics and mechanism of hydrogen sulfide sensor using stabilized zirconia and oxide sensing electrode, **34**, 367
- Solid state ISE
 - organophosphorus pesticide (Paraoxon) analysis using solid state sensors, **33**, 25
- Solid-state electrolyte
 - electrochemical solid-state micro-sensor for hydrogen determination, **34**, 462
- Solid-state sensors
 - enhanced electrochemical performance of solid-state ion sensors based on silicone rubber membranes, **33**, 161
- Solid-state
 - new solvent system for the improved electrochemical performance of screen-printed polyurethane membrane-based solid-state sensors, **33**, 168
- Square wave anodic stripping voltammetry
 - microfabricated electrochemical analysis system for heavy metal detection, **34**, 450
- Stability
 - carbonate based CO₂ sensors with high performance, **34**, 383
 - improvements in the stability characteristics of biosensors using protein-polyelectrolyte complexes, **33**, 13
- Steady state model
 - theory of gas sensors: response of an electrochemical sensor to multi-component gas mixtures, **34**, 407
- Streaming potential
 - the ISFET-based measurement of the streaming potential as a novel biosensor principle, **34**, 289

- Stripping voltammetry
an ASIC-based system for stripping voltammetric determination of trace metals, **34**, 462
- Supported lipid layers
detection of supported lipid layers with the acoustic Love waveguide device: application to biosensors, **34**, 295
- Supramolecular sensors
supramolecular interactions on mass sensitive sensors in gas phases and liquids, **34**, 305
- Surface acoustic wave transducer
a new SO₂ sensor system with SAW and IDC elements, **34**, 339
- Surface activated monolayer
electron transfer principles in amperometric biosensors: direct electron transfer between enzymes and electrode surface, **33**, 50
- Surface characterization
the ISFET-based measurement of the streaming potential as a novel biosensor principle, **34**, 289
- Surface photovoltage
high speed chemical image sensor with digital LAPS system, **34**, 446
- Surface plasmon resonance
remote sensing of tetrachloroethene with a micro-fibre optical gas sensor based on surface plasmon resonance spectroscopy, **34**, 328
- Surface potential
behaviour of cryptophane molecules in gas media, **33**, 182
- Surface transverse wave transducer
a new SO₂ sensor system with SAW and IDC elements, **34**, 339
- Ta₂O₅ sensing membrane
effects of heat treatment on Ta₂O₅ sensing membrane for low drift and high sensitivity pH-ISFET, **34**, 441
- Temperature control
temperature control of semiconductor metal-oxide gas sensors by means of fuzzy logic, **34**, 396
- Temperature modulation
data reduction for curve analysis, **34**, 481
managing dynamic thermal exchanges in commercial semiconductor gas sensors, **34**, 533
- Temperature programming
optimized temperature-pulse sequences for the enhancement of chemically specific response patterns from micro-hotplate gas sensors, **33**, 142
- Temperature regulation
managing dynamic thermal exchanges in commercial semiconductor gas sensors, **34**, 533
- Temperature sensor
accurate sensors offering unrestricted recalibration and long-term stability for determining high temperatures on the basis of gas-sensitive effects of different gases on metal oxides, **34**, 224
- Tetrachloroethene
remote sensing of tetrachloroethene with a micro-fibre optical gas sensor based on surface plasmon resonance spectroscopy, **34**, 328
- Thermal conductivity
a new method to measure the absolute humidity independently of the ambient temperature, **33**, 156
- Thermal evaporating
a study of ion sensitivity to sodium and cobalt for calixarene based sensors, **34**, 487
- Thermal sensor
a new method to measure the absolute humidity independently of the ambient temperature, **33**, 156
- Thick film
a novel thick film conductive type CO₂ sensor, **34**, 388
- Thick-film amperometric biosensor
disposable thick-film amperometric biosensor with multiple working electrodes fabricated on a single substrate, **34**, 490
- Thick-film sensor
different thick-film methods in printing of one-electrode semiconductor gas sensors, **34**, 401
- Thin film
investigation for oxygen sensor of LaF₃ thin film, **34**, 417
- Time interval to voltage conversion
blowfly olfactory biosensor's sensitivity and specificity, **34**, 240
- Tin dioxide
hydrogen-sensitive breakdown voltage in the *I-V* characteristics of tin dioxide-based semiconductors, **33**, 89
optimized temperature-pulse sequences for the enhancement of chemically specific response patterns from micro-hotplate gas sensors, **33**, 142
selected-area deposition of multiple active films for conductometric microsensor arrays, **34**, 209
- Toxin
a miniaturized ISFET-ELISA system with a pretreated fused silica capillary as reaction cartridge, **34**, 429
- Tris(2,2'-bipyridyl)ruthenium(III)
chemiluminescent chemical sensors for inorganic and organic vapors, **34**, 317
- Varistor
hydrogen-sensitive breakdown voltage in the *I-V* characteristics of tin dioxide-based semiconductors, **33**, 89
- Vineyard
an electronic nose for the recognition of the vineyard of a red wine, **33**, 83
- Voltammetry
data reduction for curve analysis, **34**, 481
- Whole blood
miniaturised ion-selective sensor chip for potassium measurement in a biomedical application, **34**, 252
whole cell biosensors, **34**, 270
- WO₃
sensing characteristics and mechanism of hydrogen sulfide sensor using stabilized zirconia and oxide sensing electrode, **34**, 367
- Work function sensor
ozone detection in the ppb range with work function sensors operating at room temperature, **34**, 506
- Working electrode
a new pH-ISFET based dissolved oxygen sensor by employing electrolysis of oxygen, **34**, 435
- XPS analysis
investigation for oxygen sensor of LaF₃ thin film, **34**, 417
- Zirconia
sensing characteristics and mechanism of hydrogen sulfide sensor using stabilized zirconia and oxide sensing electrode, **34**, 367
theory of gas sensors: response of an electrochemical sensor to multi-component gas mixtures, **34**, 407